FX180™> Productivity

Slicing Productivity for the World of Food Processing



ECHIELY®

Adding Value to Your Business

"Our Formax" slicers pay for themselves.
I like the build quality, the speed and the low running costs. I get a 96% yield on a standard 4 x 4 product."

- Graham Roach President Roach Foods UK



Formax® FX 180® > Slicing Productivity for the World

Backclamp or Continuous Feed

Formax® slicing equipment offers our national and international customers the best value and highest return on investment in the industry. Equipment with the Formax® brand has a reputation for solid, simple construction and rugged reliability over the long haul.

The FX180™ Slicer can shingle and/or stack and combines the productivity of multiple-loaf slicing with the most accurate scaling system in the industry. It's designed for speed, precision, and highest yields, and backed by our worldwide 24 hour service support.



The Industry's Most Accurate Integrated Scaling System

The computerized dual or triple independent weighing and classifying system offers unsurpassed weight control and conveys on weight stacks or drafts to the FX180™ Autoloader.

Hygienically-Friendly Design

Open stainless steel construction promotes hygiene and safety. Preprogrammed positioning for clean-up; sliced product transport components are removable or retractable. The FX180™ is accessible from all sides for easy cleaning. USDA/FSIS and CE compliant.

Computerized Touch Screen Control

User-friendly control panel in English, French, German, or Spanish, automatically collects and displays statistical weight data and production information. Programmable product menu retains slicing information on 100 different products with up to 34 specifics per product for efficient

Accommodates Multiple Loaves

production.

The multiple loaf capability of the FX180™ includes a capacity range of 7" (178mm) high x 14" (355mm) wide. The flexibility of the FX180™ allows for maximum productivity and a wide range of multiple loaf applications.

Shingles or Stacks

Shingles or stacks multiple loaves with independent weighing and classifying on each loaf to increase yeilds. The FX180™ stacks up to 3" (76mm) high. Or it shingles up to 12" (300mm) long. Slice thickness is speed dependent and ranges from 0.10" to 1" (0.25mm to 25mm).

POTITION IN CONTROL OF THE POTITION OF THE POT

Fx™ or Round Blade

Formax's exclusive Fx™ Blade technology slices at previously unattainable speeds at a greater variance of product temperatures and can significantly reduce the need for crust freezing. For products which require more flexibility, a round blade has independent knife and orbiting speeds with an adjustable cutting ratio.

Dual Independent Loaf Feed Controls





On the Backclamp model, upper and lower feed conveyors, as well as grippers, are synchronized with the slicing head and deliver product to the blade area at a constant rate. This assures accurate slices with exact weight control.

On the Continuous Feed model, upper and lower positive grip loaf feed conveyors assure total control of the loaves as they move into the slicing head. Correct feeding pressure is automatically applied when the product code is entered.

Optional Auto Loaf Loader and Loaf End Trimmer

Adding the Auto Loaf Loader solves the problem of loading long, heavy loaves. It allows loading of the slicer from the left or right side, rear or both sides. The loading platform is elevated only 41 1/2" (1050mm) from the floor for easy access and the loader requires no additional floor space. Adding a free-standing Loaf End Trimmer to the FX180™ Continuous Feed increases efficiency by removing the off size loaf ends before they enter the slicer.





Backclamp or Continuous Feed

Slicing > Productivity

- Accurate weight control and portioning consistency
- Superior slice integrity
- Shingles or stacks multiple loaves for maximum productivity
- Hygienically-friendly design promotes food safety
- Dual independent loaf feed control
- Operator touch screen control panel with full color display
- > Legendary Formax® reliability
- > Worldwide 24 hour service support

Systems and Options Include:

- > FX180™ Variety Pack System
- > FX180™ Sandwich Set-up System
- > FX180™ Autoloading System
- > FX180™ Honing System
- > FX180™ Transfer System
- > FX180™ Overlap System
- > FX180™ Rotating System
- Independent triple weighing and classifying
- › Auto loaf loader; left or right side, rear or both sides
- > Round Blade orbiting head
- > Loaf end trimmer
- > ServMax™ Data Communication Link

Adding Value to Your Business

Formax[®]

Formax, Inc., 9150 191st Street, P.O. Box 330, Mokena, Illinois 60448 USA (near Chicago) Phone: (708) 479-3500 Fax: (708) 479-3598 EUROPE: Formax, Inc., Pelikaanweg 6, 1118 DX Schiphol-Z, The Netherlands Phone: (+31) 20-3161616 Fax: (+31) 20-6480380 Web site: www.formaxinc.com



Specifications and Installation Dimensions available upon request.

